Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6415342").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:44
S6	183	(usb or "universal serial bus") and (OTG or "on-the-go")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:26
S7	2	("20050114580").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:44
S8	53	(usb or "universal serial bus") and (OTG or "on-the-go") and puls$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 14:33
S9	14	(usb or "universal serial bus") and (puls$3 near3 vbus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:05
S10	15	(puls$3 near3 vbus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:57
S11	1950	(usb or "universal serial bus") and (automatic$5 near3 detect$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:05
S12	475	(usb or "universal serial bus") and ((automatic$5 near3 detect$4) near4 (device$1 or peripheral$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:06

S13	5	(usb or "universal serial bus") and ((automatic$5 near3 detect$4) near4 (device$1 or peripheral$1)) and vbus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:23
S14	2	(poll$3 near3 vbus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:27
S15	4	(poll$3 near5 vbus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:29
S16	17	(puls$3 near5 vbus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 13:13
S18	4	(wak$5 near5 vbus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:46
S19	1	("5961624").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/20 13:47
S20	308	((check$3 or verif$5) near4 connection) and "710"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 14:02
S21	23	((check$3 or verif$5) near4 connection) same period$7 and "710"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 14:25
S22	60	(connect$4 near8 poll$3) same period$7 and "710"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 14:30

S24	91	(connect$4 near8 poll$3) same period$7 same (power or voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 14:48
S25	298	wake near3 puls$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 14:58
S26	1244	poll$3 near3 (power or ground)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 11:07
S27	388	(poll$3 near4 (check$3 or verif$4)) near7 (connect$4 or status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 11:39
S28	10	(poll$3 near4 vcc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 11:32
S29	55	"power over lan"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 13:26
S30	27	"power over lan" and puls$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 13:37
S32	3951	(detect$4 near3 (attach$4 or connect$4)) same puls$3 same power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 13:38

S34	20	(detect$4 near3 (attach$4 or connect$4)) same puls$3 same (device$1 or peripheral$1) and ("710"/$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 13:40
S35	7	(detecti$4 near3 (attach$4 or connect$4)) same puls$3 same (device$1 or peripheral$1) and ("710"/$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 13:40
S37	40	((detect or detecting or detects or detection) near3 (attach$4 or connect$4)) same puls$3 and ("710"/$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 14:32
S38	82	(usb or "universal serial bus") and (keepalive or keep-alive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 14:53
S40	249	(usb or "universal serial bus") and (heartbeat or heart-beat) and bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:46
S41	36	periodic$5 near3 (start$3 or initiat$3) near3 session	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:06
S42	4	(usb or "universal serial bus") and (heartbeat or heart-beat) and ("710"/$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:26
S44	11	(usb or "universal serial bus") and ((SOF or "start of frame") near6 periodic$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 17:04

S45	9	(usb or "universal serial bus") and (host$1 near4 session$1) same vbus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 17:15
S46	3	(usb or "universal serial bus") and ((host$1 near4 poll$3) same vbus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 17:08
S49	12	(usb or "universal serial bus") same (host$1 near4 session$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 17:16
S50	163	(usb or "universal serial bus") same (heartbeat or heart-beat or keepalive or keep-alive or watchdog or watch-dog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 09:21
S51	129	(usb or "universal serial bus") same ((peripheral$1 or device$1 or function$1) near5 poll$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:59
S52	91	(usb or "universal serial bus") same ((peripheral$1 or device$1 or function$1) adj5 poll$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 16:00
S53	304	(ethernet) same (heartbeat or heart-beat or keepalive or keep-alive or watchdog or watch-dog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 09:22
S54	122	(ethernet) same (heartbeat or heart-beat or keepalive or keep-alive or watchdog or watch-dog) same (host$1 or server$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 10:40

S56	2	((check$3 or verif$8) near5 (SOF or "start of frame")) and (usb or "universal serial bus")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 10:42